

Interactive Surveillance Solutions

GateKeeper Virtual Matrix

3xLOGIC VIGIL™ Series Solutions



VIGIL GateKeeper™ - Virtual Matrix

The current technology offers many options for recording Video and the Video Loggers to leverage the recording into a Video Surveillance Solution that will effectively and efficiently manage the Video and alarms.

The 3xLOGIC Gatekeeper Video Surveillance Center is a fully digital Video Management solution that provides a comprehensive Virtual Matrix, Video Wall operation and powerful event handling. Manage one or multiple sites on the same platform, from the same Video Surveillance Center.

VIGIL GateKeeper is the essential tool that enables you to monitor and manage critical events regardless of their physical location.

Key Features and Benefits

- ◆ Simultaneously view live video from multiple sites
- ◆ Displays 1, 4, 9 and 16 split video screens over multiple monitors
- ◆ Proactive real-time alarm capabilities
- ◆ Instant playback of any local or remote camera
- ◆ Site mapping applications provides physical cameras location with real time alarm indication
- ◆ Virtual matrix can be powered by touch screen with unique easy to use menus
- ◆ Activate sequence of multiple commands upon event or time based
- ◆ Joystick controls with virtual CCTV keyboard capabilities
- ◆ Easily scalable to support unlimited input channels
- ◆ Replaces or complements existing analog infrastructure



Touch screen operation



E-PTZ Capabilities



Virtual Floating CCTV Keyboard

Intuitive Cameras & Monitors Selection






IMAGE QUALITY & RESOLUTION

<i>Resolution</i>	CIF – 8 Mega Pixel
<i>Frame Rate</i>	Up to 25 PAL fps per camera All Standard Resolutions/ Megapixel
<i>IP Resolution</i>	HD Megapixel/ Super HD Megapixel/ Other
<i>IP Video Formats</i>	Standard 3:4, 16:9, 180 & 360-degree

OPERATING SYSTEM

<i>Software</i>	Windows XP, Vista
<i>Physical OS Drive</i>	Dedicated (250 GB typical)

HARDWARE

<i>Processor</i>	Quad Core Model Dependant
<i>RAM</i>	3GB DDR3 (min.)
<i>Video card (ATI)</i>	512MB PCIe x16 video card, dual DVI (min)

Contact us:

3xLOGIC

www.3xLOGIC.com

Interactive Surveillance Solutions Sdn Bhd

www.intersurve.com

enquiry@intersurve.com